L Number	Hits	Search Text	DB	Time stamp
10	25	echo near5 (timestamp$1 or (time adj stamp$1))	USPAT; US-PGPUB	2004/04/16 12:44
11	0	echo near5 (timestamp$1 or (time adj stamp$1)) and 725/$.ccls.	USPAT; US-PGPUB	2004/04/16 13:06
14	0	echo near10 (timestamp$1 or (time adj stamp$1)) and 725/$.ccls.	USPAT; US-PGPUB	2004/04/16 13:06
15	37	echo near10 (timestamp$1 or (time adj stamp$1))	USPAT; US-PGPUB	2004/04/16 13:06
-	865	725/105,114,118,120,126,131.ccls. and @ay<2001	USPAT; US-PGPUB	2004/04/15 08:21
-	103	725/105,114,118,120,126,131.ccls. and @ay<2001 and (headend$1 or (head adj2 end$1)) near5 (upstream$1)	USPAT; US-PGPUB	2004/04/12 14:35
-	11	725/105,114,118,120,126,131.ccls. and @ay<2001 and (parallel$1 near3 transmission$1)	USPAT; US-PGPUB	2004/04/12 14:44
-	43	725$.ccls. and @ay<2001 and (parallel$1 near3 transmission$1)	USPAT; US-PGPUB	2004/04/12 14:51
-	8916	@ay<2001 and (parallel$1 near3 transmission$1)	USPAT; US-PGPUB	2004/04/12 14:52
-	14	725/$.ccls. and @ay<2001 and (headend$1 or (head adj2 end$1)) near10 (simultaneous$2 near5 receiv$3)	USPAT; US-PGPUB	2004/04/12 15:41
-	45	725/$.ccls. and @ay<2001 and (headend$1 or (head adj2 end$1)) near10 (assign$2 near10 channel$1)	USPAT; US-PGPUB	2004/04/12 15:42
-	114	725/126.ccls. and @ay<2001	USPAT; US-PGPUB	2004/04/13 10:07
-	38	725/126.ccls. and @ay<2001 and (parallel$1)	USPAT; US-PGPUB	2004/04/13 10:13
-	99	725/114.ccls. and @ay<2001 and (parallel$1)	USPAT; US-PGPUB	2004/04/13 10:13
-	245	725/114.ccls. and @ay<2001	USPAT; US-PGPUB	2004/04/13 10:31
-	36670	(bandwidth$1 or spectrum$1 or channel$1) near5 (allocat$3 or assign$4)	USPAT; US-PGPUB	2004/04/13 16:12
-	26203	@ay<2001 and ((bandwidth$1 or spectrum$1 or channel$1) near5 (allocat$3 or assign$4))	USPAT; US-PGPUB	2004/04/14 08:28
-	668	@ay<2001 and ((bandwidth$1 or spectrum$1 or channel$1) near5 (allocat$3 or assign$4) near10 (upstream$2 or (reverse$1 near2 channel$2)))	USPAT; US-PGPUB	2004/04/14 08:34
-	109	725/$.ccls. and @ay<2001 and ((bandwidth$1 or spectrum$1 or channel$1) near5 (allocat$3 or assign$4) near10 (upstream$2 or (reverse$1 near2 channel$2)))	USPAT; US-PGPUB	2004/04/13 16:14
-	26203	@ay<2001 and ((bandwidth$1 or spectrum$1 or channel$1) near5 (allocat$3 or assign$4))	USPAT; US-PGPUB	2004/04/14 10:25
-	724	@ay<2001 and ((bandwidth$1 or spectrum$1 or channel$1) near5 (allocat$3 or assign$4) with (upstream$2 or (reverse$1 near2 channel$2)))	USPAT; US-PGPUB	2004/04/14 08:34
-	140	725/95.ccls.	USPAT; US-PGPUB	2004/04/14 08:41
-	11	(@ay<2001 and ((bandwidth$1 or spectrum$1 or channel$1) near5 (allocat$3 or assign$4) with (upstream$2 or (reverse$1 near2 channel$2)))) and 725/95.ccls.	USPAT; US-PGPUB	2004/04/14 08:35
-	133	725/126.ccls.	USPAT; US-PGPUB	2004/04/14 08:41
-	18	(@ay<2001 and ((bandwidth$1 or spectrum$1 or channel$1) near5 (allocat$3 or assign$4) with (upstream$2 or (reverse$1 near2 channel$2)))) and 725/126.ccls.	USPAT; US-PGPUB	2004/04/14 09:38
-	7435	725/$.ccls.	USPAT; US-PGPUB	2004/04/14 09:38
-	110	(@ay<2001 and ((bandwidth$1 or spectrum$1 or channel$1) near5 (allocat$3 or assign$4) with (upstream$2 or (reverse$1 near2 channel$2)))) and 725/$.ccls.	USPAT; US-PGPUB	2004/04/14 09:56
-	49	(@ay<2001 and ((bandwidth$1 or spectrum$1 or channel$1) near5 (allocat$3 or assign$4))) and 725/95.ccls.	USPAT; US-PGPUB	2004/04/14 09:57
-	65	(@ay<2001 and ((bandwidth$1 or spectrum$1 or channel$1) near5 (allocat$3 or assign$4))) and 725/126.ccls.	USPAT; US-PGPUB	2004/04/14 10:10

C:\APPS\EAST\Workspaces\09664874.wsp

-	17888	@ay<2001 and ((bandwidth$1 or spectrum$1 or channel$1) near5 (assign$4))	USPAT; US-PGPUB	2004/04/14 10:25
-	695	725/$.ccls. and @ay<2001 and ((bandwidth$1 or spectrum$1 or channel$1) near5 (assign$4))	USPAT; US-PGPUB	2004/04/14 11:26
-	14	725/$.ccls. and @ay<2001 and ((bandwidth$1 or spectrum$1 or channel$1) near5 (assign$4)) near10 (set adj2 top adj2 box$2)	USPAT; US-PGPUB	2004/04/14 10:33
-	17	@ay<2001 and ((bandwidth$1 or spectrum$1 or channel$1) near5 (assign$4)) near10 (set adj2 top adj2 box$2)	USPAT; US-PGPUB	2004/04/14 10:44
-	99	@ay<2001 and ((bandwidth$1 or spectrum$1 or channel$1) near5 (assign$4)) near10 (headend$1 or (head adj2 end$1))	USPAT; US-PGPUB	2004/04/14 10:45
-	51	725/$.ccls. and @ay<2001 and ((bandwidth$1 or spectrum$1 or channel$1) near5 (assign$4)) near10 (headend$1 or (head adj2 end$1))	USPAT; US-PGPUB	2004/04/14 11:22
-	695	725/$.ccls. and @ay<2001 and ((bandwidth$1 or spectrum$1 or channel$1) near5 (assign$4))	USPAT; US-PGPUB	2004/04/14 11:22
-	93	725/$.ccls. and @ay<2001 and ((bandwidth$1 or spectrum$1 or channel$1) near5 (assign$4)) with (upstream$1 or (reverse$1) or (return$1))	USPAT; US-PGPUB	2004/04/14 11:28
-	76	725/$.ccls. and @ay<2001 and (headend$1 or (head adj2 end$1)) near5 poll$3	USPAT; US-PGPUB	2004/04/14 13:31
-	5820	frequency near5 hop$4	USPAT; US-PGPUB	2004/04/14 13:31
-	60	(frequency near5 hop$4) and 725/$.ccls. and @ay<2001	USPAT; US-PGPUB	2004/04/14 13:32
-	1	5939887.pn.	USPAT; US-PGPUB	2004/04/14 14:47
-	7	(poll$3 near5 node$2) and 725/$.ccls. and @ay<2001	USPAT; US-PGPUB	2004/04/14 15:12
-	940	poll$3 near10 node$2	USPAT; US-PGPUB	2004/04/14 15:12
-	46	poll$3 near10 node$2 near5 (active$2)	USPAT; US-PGPUB	2004/04/14 16:01
-	1077	poll$3 with node$2	USPAT; US-PGPUB	2004/04/14 15:47
-	7	(poll$3 with node$2) and 725/$.ccls. and @ay<2001	USPAT; US-PGPUB	2004/04/14 15:49
-	2370	poll$3 same node$2	USPAT; US-PGPUB	2004/04/14 15:14
-	24	(poll$3 same node$2) and 725/$.ccls. and @ay<2001	USPAT; US-PGPUB	2004/04/14 15:14
-	76	725/$.ccls. and @ay<2001 and (headend$1 or (head adj2 end$1)) near5 poll$3	USPAT; US-PGPUB	2004/04/14 15:28
-	0	725/$.ccls. and @ay<2001 and (headend$1 or (head adj2 end$1)) near5 poll$3 near5 (active$1)	USPAT; US-PGPUB	2004/04/14 15:28
-	0	725/$.ccls. and @ay<2001 and (headend$1 or (head adj2 end$1)) near5 poll$3 near5 (node$1)	USPAT; US-PGPUB	2004/04/14 15:41
-	661	725/$.ccls. and poll$3 and @ay<2001	USPAT; US-PGPUB	2004/04/14 15:39
-	89	725/$.ccls. and @ay<2001 and (number$1 or many) near5 poll$3	USPAT; US-PGPUB	2004/04/14 15:41
-	0	poll$3 with node$2 with (set-top adj2 box$2)	USPAT; US-PGPUB	2004/04/14 15:48
-	0	poll$3 with node$2 with (set adj2 top adj2 box$2)	USPAT; US-PGPUB	2004/04/14 17:16
-	0	poll$3 with node$2 same (set adj2 top adj2 box$2)	USPAT; US-PGPUB	2004/04/14 15:49
-	532	node$2 same (set adj2 top adj2 box$2)	USPAT; US-PGPUB	2004/04/14 15:49
-	88	(node$2 same (set adj2 top adj2 box$2)) and 725/$.ccls. and @ay<2001	USPAT; US-PGPUB	2004/04/14 15:54
-	8	(node$2 same (set adj2 top adj2 box$2)) and 725/$.ccls. and @ay<2001 and poll$3	USPAT; US-PGPUB	2004/04/14 15:54
-	4	poll$3 near5 node$2.ti.	USPAT; US-PGPUB	2004/04/14 16:01

C:\APPS\EAST\Workspaces\09664874.wsp

-	805	poll$3 near5 node$2	USPAT; US-PGPUB	2004/04/14 16:08
-	0	poll$3 near5 node$2 near10 (CATV)	USPAT; US-PGPUB	2004/04/14 16:08
-	0	poll$3 near5 node$2 with (CATV)	USPAT; US-PGPUB	2004/04/14 16:08
-	1	(poll$3 near5 node$2) same (CATV)	USPAT; US-PGPUB	2004/04/14 16:11
-	9	(poll$3 near5 node$2) and (CATV)	USPAT; US-PGPUB	2004/04/14 16:47
-	26	(node$2 near5 (set adj2 top adj2 box$2)) and 725/$.ccls. and @ay<2001	USPAT; US-PGPUB	2004/04/14 16:55
-	2	(node$2 near5 (set adj2 top adj2 box$2)) and 725/$.ccls. and @ay<2001 and poll$3	USPAT; US-PGPUB	2004/04/14 16:56
-	5	(node$2 near5 (set adj2 top adj2 box$2)) and @ay<2001 and poll$3	USPAT; US-PGPUB	2004/04/14 16:58
-	71	(node$2 near5 (set adj2 top adj2 box$2)) and @ay<2001	USPAT; US-PGPUB	2004/04/14 17:00
-	39	(node$2 near5 (set adj2 top adj2 box$2)) and @ay<2001 and (status$2)	USPAT; US-PGPUB	2004/04/14 17:00
-	51	poll$3 with (set adj2 top adj2 box$2)	USPAT; US-PGPUB	2004/04/14 17:21
-	37	poll$3 with (cable near5 modem$2)	USPAT; US-PGPUB	2004/04/14 17:25
-	3034	poll$3 near5 (number$1 or many$1)	USPAT; US-PGPUB	2004/04/14 17:26
-	2	poll$3 near5 (number$1 or many$1) near5 (set adj2 top adj2 box$2)	USPAT; US-PGPUB	2004/04/14 17:27
-	2	poll$3 with (number$1 or many$1) with (set adj2 top adj2 box$2)	USPAT; US-PGPUB	2004/04/14 17:28
-	4889	(transmission near3 slot$2) and @ay<2001	USPAT; US-PGPUB	2004/04/15 09:43
-	122	((transmission near3 slot$2) and @ay<2001) and 725/$.ccls.	USPAT; US-PGPUB	2004/04/15 08:22
-	32	(transmission near3 slot$2) near10 (interrupt$1) and @ay<2001	USPAT; US-PGPUB	2004/04/15 10:11
-	6	(transmission near3 slot$2) same (interrupt$1) same timer$1 and @ay<2001	USPAT; US-PGPUB	2004/04/15 09:47
-	75	(transmission near3 (slot$2 or frequenc$3)) near10 (interrupt$1) and @ay<2001	USPAT; US-PGPUB	2004/04/15 09:58
-	24	(transmission near3 slot$2) near10 (timer$1) and @ay<2001	USPAT; US-PGPUB	2004/04/15 10:51
-	169	375/132.ccls. and @ay<2001	USPAT; US-PGPUB	2004/04/15 10:36
-	0	375/132.ccls. and @ay<2001 and (transmission near3 slot$2) near10 (timer$1)	USPAT; US-PGPUB	2004/04/15 10:36
-	0	375/132.ccls. and @ay<2001 and (transmission near3 slot$2) with (timer$1)	USPAT; US-PGPUB	2004/04/15 10:36
-	0	375/132.ccls. and @ay<2001 and (transmission near3 slot$2) with (timer$1)	USPAT; US-PGPUB	2004/04/15 10:36
-	22	375/132.ccls. and @ay<2001 and (transmission near3 slot$2)	USPAT; US-PGPUB	2004/04/15 10:36
-	10281	(interrupt$1) near10 (timer$1) and @ay<2001	USPAT; US-PGPUB	2004/04/15 10:39
-	96	(interrupt$1) near10 (timer$1) and @ay<2001 and 725/$.ccls.	USPAT; US-PGPUB	2004/04/15 10:41
-	8779	(transmi$5) near10 (timer$1) and @ay<2001	USPAT; US-PGPUB	2004/04/15 10:51
-	137	(transmi$5) near10 (timer$1) and @ay<2001 and 725/$.ccls.	USPAT; US-PGPUB	2004/04/15 11:03
-	31	375/132.ccls. and @ay<2001 and (timer$1)	USPAT; US-PGPUB	2004/04/15 11:07
-	11	375/132.ccls. and @ay<2001 and (timer$1 near10 transmi$6)	USPAT; US-PGPUB	2004/04/15 11:07

-	5275	frequency adj2 hop$4	USPAT; US-PGPUB	2004/04/15 14:22
-	60	(frequency adj2 hop$4) and 725/$.ccls. and @ay<2001	USPAT; US-PGPUB	2004/04/15 14:22